

**The Prairie Enthusiasts**

P.O. Box 1148  
Madison, WI 53701-1148

**GO/ NO GO CHECKLIST**



Site Name: \_\_\_\_\_

Date of Burn: \_\_\_\_\_

Present conditions:

Wind Direction \_\_\_\_\_ Wind Speed \_\_\_\_\_ Relative Humidity \_\_\_\_\_ Temperature \_\_\_\_\_

- Above weather parameters are within burn plan prescription.
- All current and projected fire weather forecasts have been obtained and are favorable.
- All necessary permits and approvals have been obtained.
- All burn plan personnel are on site.
- All personnel have appropriate personal protection equipment.
- All personnel have been briefed, and are aware of their assignments and the burn unit.
- All personnel are aware of the objectives, ignition plan, extra resources, escape routes, and safety zones.
- Adequate burn map provided to all personnel.
- All smoke management specifications are met and addressed.
- All of the necessary equipment is available and operational.
- The contingency plan and available resources have been discussed and are available.
- The burn can be carried out according to the Burn Plan, and will meet the planned objectives.
- All pre-burn contacts have been made (dispatcher/local fire department).
- A test fire has been conducted and conditions are deemed safe enough to continue.

\_\_\_\_\_  
Burn Boss Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Time of ignition

**POST-BURN RESULTS (IMMEDIATE)**

Time fire was completed and out: \_\_\_\_\_

Were Burn Objectives Met (address specific objectives listed in the burn plan; e.g., % acreage burned, scorching of woody species)?

\_\_\_\_\_  
\_\_\_\_\_

Fire Behavior (e.g., rate of spread, flame lengths, spot fires): \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

Recommended Changes (e.g., adequacy of firebreaks, crew size sufficiency): \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

Additional comments: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_

Continue any sections on the back of this page if needed.